



Product Service

# Attestation of Conformity

No. N8A 124237 0011 Rev. 00

**Holder of Attestation:** **WUXI XINJE ELECTRIC CO., LTD.**

No. 816, Jianzhu West Road, Binhu District  
214026 Wuxi City, Jiangsu Province  
PEOPLE'S REPUBLIC OF CHINA

**Product:** **Electronic frequency converter  
(Servo Driver)**

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: [www.tuvsud.com/ps-cert](http://www.tuvsud.com/ps-cert)

**Test report no.:** 705002500807-00

**Date,** 2025-12-09

  
( Kevin Liu )

Page 1 of 4

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

# Attestation of Conformity

No. N8A 124237 0011 Rev. 00

## Model(s):

DS5C2-21P0-PTA(a)(b), DS5C2-21P0-PTA-FS(a)(b), DS5K2-21P0-PTA(a)(b), DS5L2-21P0-PTA(a)(b), DS5C5-21P0-PTA(a)(b), DS5C2-21P0-PTA-FH(a)(b), DS5K5-21P0-PTA(a)(b), DS5K2-21P0-PTA-FH(a)(b), DS5L2-21P0-PTA-FH(a)(b), DS5C2-41P0-PTA(a)(b), DS5C2-41P5-PTA(a)(b), DS5C2-41P0-PTA-FS(a)(b), DS5C2-41P5-PTA-FS(a)(b), DS5K2-41P0-PTA(a)(b), DS5K2-41P5-PTA(a)(b), DS5L2-41P0-PTA(a)(b), DS5L2-41P5-PTA(a)(b), DS5C5-41P0-PTA(a)(b), DS5C5-41P5-PTA(a)(b), DS5C2-41P0-PTA-FH(a)(b), DS5C2-41P5-PTA-FH(a)(b), DS5K5-41P0-PTA(a)(b), DS5K5-41P5-PTA(a)(b), DS5K2-41P0-PTA-FH(a)(b), DS5K2-41P5-PTA-FH(a)(b), DS5L2-41P0-PTA-FH(a)(b), DS5L2-41P5-PTA-FH(a)(b)

Remark: "(a)" means special function requirements, which may be FS or FH or blank. FS:Functional safety type; FH: High protection type; blank: Standard  
 "(b)" means product/client code, which can be the suffix "xxxxxxxxxxxxx", where "x" can be "0-9", "a-z", "-" or blank.

## Parameters:

Rated Input:	See below Table 1-Model list
Rated Output:	See below Table 1-Model list
Remark: - When installing the equipment, all requirements of the mentioned standard must be fulfilled and it should be suitably installed in closed electrical operation area, and fire/mechanical protection enclosure shall be provided. - For safe operation, a suitable external circuit breaker or fuse must be employed before installation.	

Page 2 of 4

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



# Attestation of Conformity

No. N8A 124237 0011 Rev. 00

Table 1- Model list		
Model No.	Rated Input	Rated Output
DS5C2-21P0-PTA(a)(b)	1PH/3PH AC200-240V 50/60Hz 6A/4.4A	3PH AC0-240V 0-500Hz 6A 1kW
DS5C2-21P0-PTA-FS(a)(b)	1PH/3PH AC200-240V 50/60Hz 6A/4.4A	3PH AC0-240V 0-500Hz 6A 1kW
DS5K2-21P0-PTA(a)(b)	1PH/3PH AC200-240V 50/60Hz 6A/4.4A	3PH AC0-240V 0-500Hz 6A 1kW
DS5L2-21P0-PTA(a)(b)	1PH/3PH AC200-240V 50/60Hz 6A/4.4A	3PH AC0-240V 0-500Hz 6A 1kW
DS5C5-21P0-PTA(a)(b)	1PH/3PH AC200-240V 50/60Hz 6A/4.4A	3PH AC0-240V 0-500Hz 6A 1kW
DS5C2-21P0-PTA-FH(a)(b)	1PH/3PH AC200-240V 50/60Hz 6A/4.4A	3PH AC0-240V 0-500Hz 6A 1kW
DS5K5-21P0-PTA(a)(b)	1PH/3PH AC200-240V 50/60Hz 6A/4.4A	3PH AC0-240V 0-500Hz 6A 1kW
DS5K2-21P0-PTA-FH(a)(b)	1PH/3PH AC200-240V 50/60Hz 6A/4.4A	3PH AC0-240V 0-500Hz 6A 1kW
DS5L2-21P0-PTA-FH(a)(b)	1PH/3PH AC200-240V 50/60Hz 6A/4.4A	3PH AC0-240V 0-500Hz 6A 1kW
DS5C2-41P0-PTA(a)(b)	3PH AC380-440V 50/60Hz 4A	3PH AC0-440V 0-500Hz 3.2A 1kW
DS5C2-41P5-PTA(a)(b)	3PH AC380-440V 50/60Hz 4A	3PH AC0-440V 0-500Hz 5.5A 1.5kW
DS5C2-41P0-PTA-FS(a)(b)	3PH AC380-440V 50/60Hz 4A	3PH AC0-440V 0-500Hz 3.2A 1kW
DS5C2-41P5-PTA-FS(a)(b)	3PH AC380-440V 50/60Hz 4A	3PH AC0-440V 0-500Hz 5.5A 1.5kW
DS5K2-41P0-PTA(a)(b)	3PH AC380-440V 50/60Hz 4A	3PH AC0-440V 0-500Hz 3.2A 1kW
DS5K2-41P5-PTA(a)(b)	3PH AC380-440V 50/60Hz 4A	3PH AC0-440V 0-500Hz 5.5A 1.5kW
DS5L2-41P0-PTA(a)(b)	3PH AC380-440V 50/60Hz 4A	3PH AC0-440V 0-500Hz 3.2A 1kW
DS5L2-41P5-PTA(a)(b)	3PH AC380-440V 50/60Hz 4A	3PH AC0-440V 0-500Hz 5.5A 1.5kW
DS5C5-41P0-PTA(a)(b)	3PH AC380-440V 50/60Hz 4A	3PH AC0-440V 0-500Hz 3.2A 1kW

Page 3 of 4

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

# Attestation of Conformity

No. N8A 124237 0011 Rev. 00

DS5C5-41P5-PTA(a)(b)	3PH AC380-440V 50/60Hz 4A	3PH AC0-440V 0-500Hz 5.5A 1.5kW
DS5C2-41P0-PTA-FH(a)(b)	3PH AC380-440V 50/60Hz 4A	3PH AC0-440V 0-500Hz 3.2A 1kW
DS5C2-41P5-PTA-FH(a)(b)	3PH AC380-440V 50/60Hz 4A	3PH AC0-440V 0-500Hz 5.5A 1.5kW
DS5K5-41P0-PTA(a)(b)	3PH AC380-440V 50/60Hz 4A	3PH AC0-440V 0-500Hz 3.2A 1kW
DS5K5-41P5-PTA(a)(b)	3PH AC380-440V 50/60Hz 4A	3PH AC0-440V 0-500Hz 5.5A 1.5kW
DS5K2-41P0-PTA-FH(a)(b)	3PH AC380-440V 50/60Hz 4A	3PH AC0-440V 0-500Hz 3.2A 1kW
DS5K2-41P5-PTA-FH(a)(b)	3PH AC380-440V 50/60Hz 4A	3PH AC0-440V 0-500Hz 5.5A 1.5kW
DS5L2-41P0-PTA-FH(a)(b)	3PH AC380-440V 50/60Hz 4A	3PH AC0-440V 0-500Hz 3.2A 1kW
DS5L2-41P5-PTA-FH(a)(b)	3PH AC380-440V 50/60Hz 4A	3PH AC0-440V 0-500Hz 5.5A 1.5kW
<p>Remark:                      "(a)" means special function requirements, which may be FS or FH or blank. FS:Functional safety type; FH: High protection type; blank: Standard                      "(b)" means product/client code, which can be the suffix "xxxxxxxxxxxxxx", where "x" can be "0-9", "a-z", "-" or blank.</p>		

**Tested according to:**

EN 61800-5-1:2007/A11:2021

Page 4 of 4

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.