



Product Service

Attestation of Conformity

No. N8A 124237 0004 Rev. 00

Holder of Attestation: **WUXI XINJE ELECTRIC CO., LTD.**

No. 816, Jianzhu West Road, Binhu District
214026 Wuxi City, Jiangsu Province
PEOPLE'S REPUBLIC OF CHINA

Product: **Electric Motors
(AC SERVO MOTOR)**

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: www.tuvsud.com/ps-cert

Test report no.: 64105253001801

Date, 2025-06-20

(Martin Ma)

Page 1 of 10

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 124237 0004 Rev. 00

Model(s):

MS6H-40CN30B3-20A5-S
MS6H-40CN30BZ3-20A5-S
MS6H-40TH30B3-20A5-S, MS6H-40TH30BZ3-20A5-S
MS6H-40CN30B3-20P1-S, MS6H-40CN30BZ3-20P1-S
MS6H-40TH30B3-20P1-S, MS6H-40TH30BZ3-20P1-S
MS6H-40CN30B3-20P1, MS6H-40CN30BZ3-20P1
MS6H-40TH30B3-20P1, MS6H-40TH30BZ3-20P1
MS6H-60CN30B3-20P2-S, MS6H-60CN30BZ3-20P2-S
MS6H-60TH30B3-20P2-S, MS6H-60TH30BZ3-20P2-S
MS6H-60CN30B3-20P2, MS6H-60CN30BZ3-20P2
MS6H-60TH30B3-20P2, MS6H-60TH30BZ3-20P2
MS6S-60CN30B3-20P4-S, MS6S-60CN30BZ3-20P4-S
MS6H-60CN30B3-20P4-S, MS6H-60CN30BZ3-20P4-S
MS6S-60TH30B3-20P4-S, MS6S-60TH30BZ3-20P4-S
MS6H-60TH30B3-20P4-S, MS6H-60TH30BZ3-20P4-S
MS6S-60CN30B3-20P4, MS6S-60CN30BZ3-20P4
MS6S-60TH30B3-20P4, MS6S-60TH30BZ3-20P4
MS6H-60CN30B3-20P4, MS6H-60CN30BZ3-20P4
MS6H-60TH30B3-20P4, MS6H-60TH30BZ3-20P4
MS6S-80CN30B3-20P7-S, MS6S-80CN30BZ3-20P7-S
MS6H-80CN30B3-20P7-S, MS6H-80CN30BZ3-20P7-S
MS6S-80TH30B3-20P7-S, MS6S-80TH30BZ3-20P7-S
MS6H-80TH30B3-20P7-S, MS6H-80TH30BZ3-20P7-S
MS6S-80CN30B3-20P7, MS6S-80CN30BZ3-20P7
MS6S-80TH30B3-20P7, MS6S-80TH30BZ3-20P7
MS6H-80CN30B3-20P7, MS6H-80CN30BZ3-20P7
MS6H-80CS30B2-20P7-ZZJ, MS6H-80TH30B3-20P7
MS6H-80TH30BZ3-20P7, MS6H-80CN30B3-21P0-S
MS6H-80CN30BZ3-21P0-S, MS6H-80TH30B3-21P0-S
MS6H-80TH30BZ3-21P0-S, MS6S-80CN30B3-21P0
MS6S-80CN30BZ3-21P0, MS6S-80TH30B3-21P0
MS6S-80TH30BZ3-21P0, MS6H-80CN30B3-21P0
MS6H-80CN30BZ3-21P0, MS6H-80CS30B3-21P0-ZZJ
MS6H-80TH30B3-21P0, MS6H-80TH30BZ3-21P0
MS6G-130CN25B2-21P0, MS6G-130CN25BZ2-21P0
MS6G-130CN25B2-41P0, MS6G-130CN25BZ2-41P0

Page 2 of 10

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 124237 0004 Rev. 00

MS6G-130TH25B2-21P0, MS6G-130TH25BZ2-21P0
MS6G-130TH25B2-41P0, MS6G-130TH25BZ2-41P0
MS6G-130CN15B2-20P8, MS6G-130CN15BZ2-20P8
MS6G-130TH15B2-20P8, MS6G-130TH15BZ2-20P8
MS6G-130CN15B2-40P8, MS6G-130CN15BZ2-40P8
MS6G-130TH15B2-40P8, MS6G-130TH15BZ2-40P8
MS6G-130CN20B2-21P5, MS6G-130CN20BZ2-21P5
MS6G-130CN15B2-21P5, MS6G-130CN15BZ2-21P5
MS6G-130CN20B2-41P5, MS6G-130CN20BZ2-41P5
MS6G-130CN15B2-41P5, MS6G-130CN15BZ2-41P5
MS6G-130TH20B2-21P5, MS6G-130TH20BZ2-21P5
MS6G-130TH15B2-21P5, MS6G-130TH15BZ2-21P5
MS6G-130TH20B2-41P5, MS6G-130TH20BZ2-41P5
MS6G-130TH15B2-41P5, MS6G-130TH15BZ2-41P5
MS6G-130CN15B2-42P3, MS6G-130CN15BZ2-42P3
MS6G-130CN15B2-22P3, MS6G-130CN15BZ2-22P3
MS6G-130CN15E2-42P3, MS6G-130CN15EZ2-42P3
MS6G-130CN15E2-22P3, MS6G-130CN15EZ2-22P3
MS6G-130TH15B2-42P3, MS6G-130TH15BZ2-42P3
MS6G-130TH15B2-22P3, MS6G-130TH15BZ2-22P3
MS6G-130TH15E2-42P3, MS6G-130TH15EZ2-42P3
MS6G-130TH15E2-22P3, MS6G-130TH15EZ2-22P3
MS6S-130CN30B2-43P0, MS6S-130TH30B2-43P0
MS6S-130CN30BZ2-43P0, MS6S-130TH30BZ2-43P0
MS6G-180CN15B2-43P0, MS6G-180CN15BZ2-43P0
MS6G-180TH15B2-43P0, MS6G-180TH15BZ2-43P0
MS6H-130CM20BZ2-43P5-TSJ
MS6G-180CN15B2-44P4
MS6G-180CN15BZ2-44P4, MS6G-180TH15B2-44P4
MS6G-180TH15BZ2-44P4, MS6S-130CN30B2-45P0
MS6S-130TH30B2-45P0, MS6S-130CN30BZ2-45P0
MS6S-130TH30BZ2-45P0, MS6G-180CN15B2-45P5
MS6G-180CN15BZ2-45P5, MS6G-180TH15B2-45P5
MS6G-180TH15BZ2-45P5, MS6G-180CN15B2-47P5
MS6G-180CN15BZ2-47P5, MS6G-180TH15B2-47P5
MS6G-180TH15BZ2-47P5

Page 3 of 10

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 124237 0004 Rev. 00

Brand: XINJE



Parameters:

Phase:	3
Duty class:	S1
Class of equipment:	I
Thermal classification:	Class F
IP degree of machine:	IP67
Remark: The motor should be driven by inverter.	

Models	Rated voltage (for driver)	Rated voltage (for motor)	Rated current(A)	Rated speed(r/min)	Rated output power(W)	Rated frequency(Hz)
MS6H-40CN30B3-20A5-S	200-240VAC	220VAC	0.95A	3000r/pm	50W	250Hz
MS6H-40CN30BZ3-20A5-S	200-240VAC	220VAC	0.95A	3000r/pm	50W	250Hz
MS6H-40TH30B3-20A5-S	200-240VAC	220VAC	0.95A	3000r/pm	50W	250Hz
MS6H-40TH30BZ3-20A5-S	200-240VAC	220VAC	0.95A	3000r/pm	50W	250Hz
MS6H-40CN30B3-20P1-S	200-240VAC	220VAC	0.95A	3000r/pm	100W	250Hz
MS6H-40CN30BZ3-20P1-S	200-240VAC	220VAC	0.95A	3000r/pm	100W	250Hz
MS6H-40TH30B3-20P1-S	200-240VAC	220VAC	0.95A	3000r/pm	100W	250Hz
MS6H-40TH30BZ3-20P1-S	200-240VAC	220VAC	0.95A	3000r/pm	100W	250Hz
MS6H-40CN30B3-20P1	200-240VAC	220VAC	0.95A	3000r/pm	100W	250Hz
MS6H-40CN30BZ3-20P1	200-240VAC	220VAC	0.95A	3000r/pm	100W	250Hz
MS6H-40TH30B3-20P1	200-240VAC	220VAC	0.95A	3000r/pm	100W	250Hz
MS6H-40TH30BZ3-20P1	200-240VAC	220VAC	0.95A	3000r/pm	100W	250Hz

Page 4 of 10

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 124237 0004 Rev. 00

MS6H-60CN30B3-20P2-S	200-240VAC	220VAC	1.8A	3000r/pm	200W	250Hz
MS6H-60CN30BZ3-20P2-S	200-240VAC	220VAC	1.8A	3000r/pm	200W	250Hz
MS6H-60TH30B3-20P2-S	200-240VAC	220VAC	1.8A	3000r/pm	200W	250Hz
MS6H-60TH30BZ3-20P2-S	200-240VAC	220VAC	1.8A	3000r/pm	200W	250Hz
MS6H-60CN30B3-20P2	200-240VAC	220VAC	1.9A	3000r/pm	200W	250Hz
MS6H-60CN30BZ3-20P2	200-240VAC	220VAC	1.9A	3000r/pm	200W	250Hz
MS6H-60TH30B3-20P2	200-240VAC	220VAC	1.9A	3000r/pm	200W	250Hz
MS6H-60TH30BZ3-20P2	200-240VAC	220VAC	1.9A	3000r/pm	200W	250Hz
MS6S-60CN30B3-20P4-S	200-240VAC	220VAC	2.7A	3000r/pm	400W	250Hz
MS6S-60CN30BZ3-20P4-S	200-240VAC	220VAC	2.7A	3000r/pm	400W	250Hz
MS6H-60CN30B3-20P4-S	200-240VAC	220VAC	2.8A	3000r/pm	400W	250Hz
MS6H-60CN30BZ3-20P4-S	200-240VAC	220VAC	2.8A	3000r/pm	400W	250Hz
MS6S-60TH30B3-20P4-S	200-240VAC	220VAC	2.7A	3000r/pm	400W	250Hz
MS6S-60TH30BZ3-20P4-S	200-240VAC	220VAC	2.7A	3000r/pm	400W	250Hz
MS6H-60TH30B3-20P4-S	200-240VAC	220VAC	2.8A	3000r/pm	400W	250Hz
MS6H-60TH30BZ3-20P4-S	200-240VAC	220VAC	2.8A	3000r/pm	400W	250Hz
MS6S-60CN30B3-20P4	200-240VAC	220VAC	2.7A	3000r/pm	400W	250Hz
MS6S-60CN30BZ3-20P4	200-240VAC	220VAC	2.7A	3000r/pm	400W	250Hz
MS6S-60TH30B3-20P4	200-240VAC	220VAC	2.7A	3000r/pm	400W	250Hz
MS6S-60TH30BZ3-20P4	200-240VAC	220VAC	2.7A	3000r/pm	400W	250Hz
MS6H-60CN30B3-20P4	200-240VAC	220VAC	2.8A	3000r/pm	400W	250Hz
MS6H-60CN30BZ3-20P4	200-240VAC	220VAC	2.8A	3000r/pm	400W	250Hz
MS6H-60TH30B3-20P4	200-240VAC	220VAC	2.8A	3000r/pm	400W	250Hz
MS6H-60TH30BZ3-20P4	200-240VAC	220VAC	2.8A	3000r/pm	400W	250Hz
MS6S-80CN30B3-20P7-S	200-240VAC	220VAC	4.4A	3000r/pm	750W	250Hz
MS6S-80CN30BZ3-20P7-S	200-240VAC	220VAC	4.4A	3000r/pm	750W	250Hz

Page 5 of 10

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 124237 0004 Rev. 00

MS6H-80CN30B3-20P7-S	200-240VAC	220VAC	4.4A	3000r/pm	750W	250Hz
MS6H-80CN30BZ3-20P7-S	200-240VAC	220VAC	4.4A	3000r/pm	750W	250Hz
MS6S-80TH30B3-20P7-S	200-240VAC	220VAC	4.4A	3000r/pm	750W	250Hz
MS6S-80TH30BZ3-20P7-S	200-240VAC	220VAC	4.4A	3000r/pm	750W	250Hz
MS6H-80TH30B3-20P7-S	200-240VAC	220VAC	4.4A	3000r/pm	750W	250Hz
MS6H-80TH30BZ3-20P7-S	200-240VAC	220VAC	4.4A	3000r/pm	750W	250Hz
MS6S-80CN30B3-20P7	200-240VAC	220VAC	4.1A	3000r/pm	750W	250Hz
MS6S-80CN30BZ3-20P7	200-240VAC	220VAC	4.1A	3000r/pm	750W	250Hz
MS6S-80TH30B3-20P7	200-240VAC	220VAC	4.1A	3000r/pm	750W	250Hz
MS6S-80TH30BZ3-20P7	200-240VAC	220VAC	4.1A	3000r/pm	750W	250Hz
MS6H-80CN30B3-20P7	200-240VAC	220VAC	4.1A	3000r/pm	750W	250Hz
MS6H-80CN30BZ3-20P7	200-240VAC	220VAC	4.1A	3000r/pm	750W	250Hz
MS6H-80CS30B2-20P7-ZZJ	200-240VAC	220VAC	4.1A	3000r/pm	750W	250Hz
MS6H-80TH30B3-20P7	200-240VAC	220VAC	4.1A	3000r/pm	750W	250Hz
MS6H-80TH30BZ3-20P7	200-240VAC	220VAC	4.1A	3000r/pm	750W	250Hz
MS6H-80CN30B3-21P0-S	200-240VAC	220VAC	4.8A	3000r/pm	1000W	250Hz
MS6H-80CN30BZ3-21P0-S	200-240VAC	220VAC	4.8A	3000r/pm	1000W	250Hz
MS6H-80TH30B3-21P0-S	200-240VAC	220VAC	4.8A	3000r/pm	1000W	250Hz
MS6H-80TH30BZ3-21P0-S	200-240VAC	220VAC	4.8A	3000r/pm	1000W	250Hz
MS6S-80CN30B3-21P0	200-240VAC	220VAC	4.1A	3000r/pm	1000W	250Hz
MS6S-80CN30BZ3-21P0	200-240VAC	220VAC	4.1A	3000r/pm	1000W	250Hz
MS6S-80TH30B3-21P0	200-240VAC	220VAC	4.1A	3000r/pm	1000W	250Hz
MS6S-80TH30BZ3-21P0	200-240VAC	220VAC	4.1A	3000r/pm	1000W	250Hz
MS6H-80CN30B3-21P0	200-240VAC	220VAC	4.1A	3000r/pm	1000W	250Hz
MS6H-80CN30BZ3-21P0	200-240VAC	220VAC	4.1A	3000r/pm	1000W	250Hz
MS6H-80CS30B3-21P0-ZZJ	200-240VAC	220VAC	4.1A	3000r/pm	1000W	250Hz
MS6H-80TH30B3-21P0	200-240VAC	220VAC	4.1A	3000r/pm	1000W	250Hz

Page 6 of 10

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 124237 0004 Rev. 00

MS6H-80TH30BZ3-21P0	200-240VAC	220VAC	4.1A	3000r/pm	1000W	250Hz
MS6G-130CN25B2-21P0	200-240VAC	220VAC	5.9A	2500r/pm	1000W	208Hz
MS6G-130CN25BZ2-21P0	200-240VAC	220VAC	5.9A	2500r/pm	1000W	208Hz
MS6G-130CN25B2-41P0	380-440VAC	380VAC	3.2A	2500r/pm	1000W	208Hz
MS6G-130CN25BZ2-41P0	380-440VAC	380VAC	3.2A	2500r/pm	1000W	208Hz
MS6G-130TH25B2-21P0	200-240VAC	220VAC	5.9A	2500r/pm	1000W	208Hz
MS6G-130TH25BZ2-21P0	200-240VAC	220VAC	5.9A	2500r/pm	1000W	208Hz
MS6G-130TH25B2-41P0	380-440VAC	380VAC	3.2A	2500r/pm	1000W	208Hz
MS6G-130TH25BZ2-41P0	380-440VAC	380VAC	3.2A	2500r/pm	1000W	208Hz
MS6G-130CN15B2-20P8	200-240VAC	220VAC	4.3A	1500r/pm	850W	125Hz
MS6G-130CN15BZ2-20P8	200-240VAC	220VAC	4.3A	1500r/pm	850W	125Hz
MS6G-130TH15B2-20P8	200-240VAC	220VAC	4.3A	1500r/pm	850W	125Hz
MS6G-130TH15BZ2-20P8	200-240VAC	220VAC	4.3A	1500r/pm	850W	125Hz
MS6G-130CN15B2-40P8	380-440VAC	380VAC	2.9A	1500r/pm	850W	125Hz
MS6G-130CN15BZ2-40P8	380-440VAC	380VAC	2.9A	1500r/pm	850W	125Hz
MS6G-130TH15B2-40P8	380-440VAC	380VAC	2.9A	1500r/pm	850W	125Hz
MS6G-130TH15BZ2-40P8	380-440VAC	380VAC	2.9A	1500r/pm	850W	125Hz
MS6G-130CN20B2-21P5	200-240VAC	220VAC	8A	2000r/pm	1500W	167Hz
MS6G-130CN20BZ2-21P5	200-240VAC	220VAC	8A	2000r/pm	1500W	167Hz
MS6G-130CN15B2-21P5	200-240VAC	220VAC	8A	1500r/pm	1500W	125Hz
MS6G-130CN15BZ2-21P5	200-240VAC	220VAC	8A	1500r/pm	1500W	125Hz
MS6G-130CN20B2-41P5	380-440VAC	380VAC	5.3A	2000r/pm	1500W	167Hz
MS6G-130CN20BZ2-41P5	380-440VAC	380VAC	5.3A	2000r/pm	1500W	167Hz
MS6G-130CN15B2-41P5	380-440VAC	380VAC	5.7A	1500r/pm	1500W	125Hz

Page 7 of 10

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 124237 0004 Rev. 00

MS6G-130CN15BZ2-41P5	380-440VAC	380VAC	5.7A	1500r/pm	1500W	125Hz
MS6G-130TH20B2-21P5	200-240VAC	220VAC	8A	2000r/pm	1500W	167Hz
MS6G-130TH20BZ2-21P5	200-240VAC	220VAC	8A	2000r/pm	1500W	167Hz
MS6G-130TH15B2-21P5	200-240VAC	220VAC	8A	1500r/pm	1500W	125Hz
MS6G-130TH15BZ2-21P5	200-240VAC	220VAC	8A	1500r/pm	1500W	125Hz
MS6G-130TH20B2-41P5	380-440VAC	380VAC	5.3A	2000r/pm	1500W	167Hz
MS6G-130TH20BZ2-41P5	380-440VAC	380VAC	5.3A	2000r/pm	1500W	167Hz
MS6G-130TH15B2-41P5	380-440VAC	380VAC	5.7A	1500r/pm	1500W	125Hz
MS6G-130TH15BZ2-41P5	380-440VAC	380VAC	5.7A	1500r/pm	1500W	125Hz
MS6G-130CN15B2-42P3	380-440VAC	380VAC	8.3A	1500r/pm	2300W	125Hz
MS6G-130CN15BZ2-42P3	380-440VAC	380VAC	8.3A	1500r/pm	2300W	125Hz
MS6G-130CN15B2-22P3	200-240VAC	220VAC	9A	1500r/pm	2300W	125Hz
MS6G-130CN15BZ2-22P3	200-240VAC	220VAC	9A	1500r/pm	2300W	125Hz
MS6G-130CN15E2-42P3	380-440VAC	380VAC	8.3A	1500r/pm	2300W	125Hz
MS6G-130CN15EZ2-42P3	380-440VAC	380VAC	8.3A	1500r/pm	2300W	125Hz
MS6G-130CN15E2-22P3	200-240VAC	220VAC	9A	1500r/pm	2300W	125Hz
MS6G-130CN15EZ2-22P3	200-240VAC	220VAC	9A	1500r/pm	2300W	125Hz
MS6G-130TH15B2-42P3	380-440VAC	380VAC	8.3A	1500r/pm	2300W	125Hz
MS6G-130TH15BZ2-42P3	380-440VAC	380VAC	8.3A	1500r/pm	2300W	125Hz
MS6G-130TH15B2-22P3	200-240VAC	220VAC	9A	1500r/pm	2300W	125Hz
MS6G-130TH15BZ2-22P3	200-240VAC	220VAC	9A	1500r/pm	2300W	125Hz
MS6G-130TH15E2-42P3	380-440VAC	380VAC	8.3A	1500r/pm	2300W	125Hz
MS6G-130TH15EZ2-42P3	380-440VAC	380VAC	8.3A	1500r/pm	2300W	125Hz
MS6G-130TH15E2-22P3	200-240VAC	220VAC	9A	1500r/pm	2300W	125Hz

Page 8 of 10

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 124237 0004 Rev. 00

MS6G-130TH15EZ2-22P3	200-240VAC	220VAC	9A	1500r/pm	2300W	125Hz
MS6S-130CN30B2-43P0	380-440VAC	380VAC	9.2A	3000r/pm	3000W	250Hz
MS6S-130TH30B2-43P0	380-440VAC	380VAC	9.2A	3000r/pm	3000W	250Hz
MS6S-130CN30BZ2-43P0	380-440VAC	380VAC	9.2A	3000r/pm	3000W	250Hz
MS6S-130TH30BZ2-43P0	380-440VAC	380VAC	9.2A	3000r/pm	3000W	250Hz
MS6G-180CN15B2-43P0	380-440VAC	380VAC	10.5A	1500r/pm	3000W	125Hz
MS6G-180CN15BZ2-43P0	380-440VAC	380VAC	10.5A	1500r/pm	3000W	125Hz
MS6G-180TH15B2-43P0	380-440VAC	380VAC	10.5A	1500r/pm	3000W	125Hz
MS6G-180TH15BZ2-43P0	380-440VAC	380VAC	10.5A	1500r/pm	3000W	125Hz
MS6H-130CM20BZ2-43P5-TSJ	380-440VAC	380VAC	10A	2000r/pm	3500W	167Hz
MS6G-180CN15B2-44P4	380-440VAC	380VAC	16.5A	1500r/pm	4400W	125Hz
MS6G-180CN15BZ2-44P4	380-440VAC	380VAC	16.5A	1500r/pm	4400W	125Hz
MS6G-180TH15B2-44P4	380-440VAC	380VAC	16.5A	1500r/pm	4400W	125Hz
MS6G-180TH15BZ2-44P4	380-440VAC	380VAC	16.5A	1500r/pm	4400W	125Hz
MS6S-130CN30B2-45P0	380-440VAC	380VAC	14A	3000r/pm	5000W	250Hz
MS6S-130TH30B2-45P0	380-440VAC	380VAC	14A	3000r/pm	5000W	250Hz
MS6S-130CN30BZ2-45P0	380-440VAC	380VAC	14A	3000r/pm	5000W	250Hz
MS6S-130TH30BZ2-45P0	380-440VAC	380VAC	14A	3000r/pm	5000W	250Hz
MS6G-180CN15B2-45P5	380-440VAC	380VAC	20.5A	1500r/pm	5500W	125Hz
MS6G-180CN15BZ2-45P5	380-440VAC	380VAC	20.5A	1500r/pm	5500W	125Hz
MS6G-180TH15B2-45P5	380-440VAC	380VAC	20.5A	1500r/pm	5500W	125Hz
MS6G-180TH15BZ2-45P5	380-440VAC	380VAC	20.5A	1500r/pm	5500W	125Hz
MS6G-180CN15B2-47P5	380-440VAC	380VAC	25A	1500r/pm	7500W	125Hz
MS6G-180CN15BZ2-47P5	380-440VAC	380VAC	25A	1500r/pm	7500W	125Hz

Page 9 of 10

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

Attestation of Conformity

No. N8A 124237 0004 Rev. 00

MS6G-180TH15B2-47P5	380-440VAC	380VAC	25A	1500r/pm	7500W	125Hz
MS6G-180TH15BZ2-47P5	380-440VAC	380VAC	25A	1500r/pm	7500W	125Hz

Remark:

Naming rule:

MS6A-BCDEFG-HI-J

"A" means inertia, can be S, G, H, L

S: Low inertia, G: Medium inertia,

H: High inertia, L: Ultra-low inertia

"B" means frame number, can be 40, 60, 80, 130, 180

"C" means encoder type, can be CS, CM, CN, TL, TH, TX

CS: 17-bit single turn magneto-electric encoder

CM: 17 multi-turn magneto-electric encoder

CN: 19-bit magneto-electric encoder

TL: 23-bit 2.5M optical-electric encoder

TH: 23-bit 4M optical-electric encoder

TX: 26-bit optical-electric encoder

"D" means rated rotational speed, can be 15, 20, 25, 30

15: 1500rpm, 20: 2000rpm, 25: 2500rpm, 30: 3000rpm

"E" means shaft end specification, can be A, B, C, D, E

A: with keys, no oil seal, with threaded holes

B: with keys, with oil seals, with threaded holes

C: no key, no oil seal, with threaded holes

D: no key, with oil seals, with threaded holes

E: special shaft specifications (length, shaft diameter, etc.)

"F" means brake, can be blank, Z

blank: non-brake type, Z: brake payment

"G" means plug type, can be 1, 2, 3, 4

1: Amphibious plug, 2: Jacks

3: Biff, 4: BIFF turns into AMP plug

"H" means supply voltage/phase, can be 2, 4

2: 200-240V~/1 phase, 4: 380-440V~/3 phase

"I" means rated power, can be 0A5, 0P1, 0P2, 0P4, 0P7

0P8, 1P0, 1P5, 2P3, 3P0, 3P5, 4P4, 5P0, 5P5, 7P5

0A5: 0.05kW, 0P1: 0.1kW, 0P2: 0.2kW, 0P4: 0.4kW

0P7: 0.75kW, 0P8: 0.85kW, 1P0: 1.0kW, 1P5: 1.5kW

2P3: 2.3kW, 3P0: 3.0kW, 3P5: 3.5kW, 4P4: 4.4kW

5P0: 5.0kW, 5P5: 5.5kW, 7P5: 7.5kW

"J" means product/client code, can be suffix

"xxxxxxxxxxxxxx", where "x" can be "0-9", "A-Z", "-" or blank.

**Tested
according to:**

EN 60034-1:2010
EN IEC 60034-5:2020

Page 10 of 10

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.